

## 40020/2700/BI Mamba

design emiliana martinelli, 2017

**CURVO MODULE with a 60 ° angle** (radius 90cm) to create a modular system with diffused light suspension or ceiling.

The system is composed by curved (code **40020** - 40021 - 40053) and linear (code 40022) modules, rotational moulded, white polyethylene material. The combination of modules, through aluminium joints (code 40026/BI intermediate joint with cable - code 40027/BI terminal joint with cable or 40047/BI intermediate joint with support to fix to the ceiling - 40048/BI terminal joint with support to fix to the ceiling), allows you to create linear paths, sinuous or circular paths of Ø 95cm (3 curved modules 40021) and Ø 180cm (6 curved modules 40020). LED light source integrated. Drivers inserted into the the false ceiling or into the ceiling (code 40025/BI - 40025/DIM/BI). Dimmable Push/Dali, triac 5 wires, 0-10V and 1-10V.

**Awards:**  
iF Design Award 2019



2019

### 40020/2700/BI mamba

|                 |  |                     |                       |
|-----------------|--|---------------------|-----------------------|
| family:         | mamba  | Body Colour:        | <input type="radio"/> |
| Designers:      | Emiliana Martinelli  | Diffuser Colour:    | <input type="radio"/> |
| Utilization:    | indoor   | Body Materials:     | aluminium             |
| Typology:       | pendant  | Diffuser Materials: | polyethylene          |
| Certifications: |  |                     |                       |
| Market:         | This item is available in the following countries:<br>EUROPE |                     |                       |

#### Dimensions

|           |       |
|-----------|-------|
| Width:    | -     |
| Height:   | -     |
| Length:   | 77 cm |
| Depth:    | -     |
| Diameter: | 10 cm |

#### Light Source


|                |         |
|----------------|---------|
| Watt:          | 25W     |
| Lumen:         | 3000 lm |
| Light Source:  | led     |
| Energy degree: | A++     |

#### Device Specifications

|                   |          |                      |        |                        |              |
|-------------------|----------|----------------------|--------|------------------------|--------------|
| Type of emission: | diffused | Power supply length: | 400 cm | Driver:                | not included |
| Power:            | 28W      | Steel cable length:  | 350 cm | Power supply assembly: | external     |
| Light output:     | 3059lm   | Glow Wire Test:      | -      | Power supply:          | -            |
| Beam angle:       | -        | Impact Resistance:   | -      | Type of dimming:       | -            |
|                   |          |                      |        | Voltage:               | 24V          |

#### Accessories

## technical drawing



## Dimensions

Width: -

Height: -

Length: 77 cm

Depth: -


Diameter: 10 cm

Hole Diameter: -

Hole Depth: -

Net weight: 1,5 Kg

## photometrics data





**Mamba 40020/2700/BI**  
design emiliana martinelli, 2017

